

Portable Dynamic Cone Penetrometer

Code: [29-5505](#)

Product Group: [Portable Dynamic Cone Penetrometer/Auger Set](#)

Consists of sliding drive hammer assembly, cone penetrometer point attached to a 12" (305 mm) rod, four 30" (762 mm) "E" drill rod extensions.

Specification

Auger Head	3-1/4" (82.6 mm) bucket diam. 4" (102 mm) blade diam.
Tee Handle	not included
Extensions	not included
Slide Hammer	15 lb. circular disc with 20" (508 mm) free fall.
Hammer Extensions	Four 30" (762 mm) E Drill rods.
Penetrometer Cone	30°.
Weight	Net 78 lbs. (35.4 kg).

Accessories



3" Drive Tube Assembly

Code: [29-5510](#)



3" Plastic End Cap

Code: [29-5510/11](#)



3" Sample Tube

Code: [29-5510/10](#)

Spares/Consumables



3-1/4" Auger Head

Code: [23-1400/10](#)




30" Drill Rod with Extensions

Code: [29-5500/12](#)



Auger Extensions 36"

Code: [23-1400/12](#)



Cone Penetrometer Point

Code: [29-5500/11](#)



Connector Pin

Code: [23-1400/13](#)



Sliding Drive Hammer Assembly


Code: [29-5500/10](#)



Tee Handle

Code: [23-1400/11](#)

Alternatives



Portable Dynamic Cone Penetrometer/Auger Set

Code: [29-5500](#)